

**Expanded BRFSS, 2003**

**Sullivan and Ulster Locality**

Table of Contents:

Optional Module 10: Health Care Coverage ..... 3  
Optional Module 11: HIV/AIDS ..... 5  
Optional Module 14: Immunization ..... 6  
Optional Module 16: Physical Activity ..... 10  
Optional Module 19: Tobacco Consumption ..... 15  
Optional Module 22: Tobacco – Work site ETS ..... 16  
Optional Module 25: Cervical Cancer ..... 18

**New York State Department of Health**

This page left blank intentionally

This page left blank intentionally

Expanded BRFSS, 2003 - New York State Department of Health

## Main Reason for Not Having Health Care Coverage

*Sullivan and Ulster*

Demographic Groups	n <sup>1</sup>	Changed or lost job % <sup>2</sup>	C.I. <sup>3</sup>	n	Could not afford %	C.I.	n	Other %	C.I.
Total	17	22.8	11.1	41	39.6	12.4	24	37.6	13.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## No Health Care Coverage for Past Two Years Among Uninsured

*Sullivan and Ulster*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	35	51.5	47	48.5	13.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Been Tested for HIV, Aged 18-64

*Sullivan and Ulster*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	254	52.5	232	47.5	5.4
Gender					
Male	98	51.6	99	48.4	8.0
Female	156	53.5	133	46.5	7.2
Age					
18-34	75	68.2	29	31.8	11.2
35-54	154	50.2	134	49.8	6.5
55-64	25	28.4	69	71.6	10.7
Education					
≤High School	89	51.8	84	48.2	9.2
>High School	165	53.0	148	47.0	6.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Flu Shot in the Past 12 Months, Aged 65 and Older

*Sullivan and Ulster*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	93	71.7	39	28.3	8.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Flu Shot in the Past 12 Months

*Sullivan and Ulster*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	205	32.2	419	67.8	4.5
Gender					
Male	79	30.1	169	69.9	6.5
Female	126	34.2	250	65.8	6.0
Age					
18-64	111	23.5	379	76.5	4.8
≥65	93	71.7	39	28.3	8.3
Education					
≤High School	90	35.9	154	64.1	7.7
>High School	115	29.5	265	70.5	5.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Pneumonia Shot, Aged 65 and Older

*Sullivan and Ulster*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	78	60.0	49	40.0	9.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Pneumonia Shot

*Sullivan and Ulster*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	149	25.3	435	74.7	4.2
Gender					
Male	60	26.5	160	73.5	6.8
Female	89	24.2	275	75.8	5.2
Age					
18-64	70	17.0	385	83.0	4.5
≥65	78	60.0	49	40.0	9.6
Education					
≤High School	71	27.8	159	72.2	6.8
>High School	78	23.4	276	76.6	5.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Work-Related Physical Activity

*Sullivan and Ulster*

Demographic Groups	n <sup>1</sup>	Mostly sitting or standing % <sup>2</sup>	C.I. <sup>3</sup>	n	Mostly walking %	C.I.	n	Mostly heavy labor %	C.I.
Total	235	54.8	6.1	73	22.4	5.6	76	22.8	5.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Moderate Physical Activity (Moderate Exercise: 30 or more minutes per day and 5 or more days per week)**

*Sullivan and Ulster*

Demographic Groups	n <sup>1</sup>	Meet Mod. Objective % <sup>2</sup>	C.I. <sup>3</sup>	n	Insufficient Mod. Activity %	C.I.	n	No Mod. Activity %	C.I.
Total	226	38.9	4.7	262	45.3	4.9	92	15.8	3.9
Gender									
Male	84	36.4	7.1	110	49.3	7.4	36	14.3	5.0
Female	142	41.3	6.1	152	41.4	6.1	56	17.3	5.8
Age									
18-64	186	39.9	5.3	208	45.8	5.5	64	14.3	4.4
≥65	40	34.5	9.3	54	43.4	9.9	27	22.1	8.0
Education									
≤High School	76	37.5	7.8	91	40.9	8.0	50	21.6	7.5
>High School	150	39.8	5.8	171	48.3	6.0	42	11.9	3.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Vigorous Physical Activity (Vigorous Exercise: 20 or more minutes per day and 3 or more days per week)**

*Sullivan and Ulster*

Demographic Groups	n <sup>1</sup>	Meet Vig. Objective	C.I. <sup>3</sup>	n	Insufficient Vig. Activity	C.I.	n	No Vig. Activity	C.I.
		% <sup>2</sup>			%			%	
Total	166	28.5	4.3	98	18.6	3.9	340	52.9	4.8
Gender									
Male	88	36.5	7.0	45	22.7	6.5	104	40.8	7.1
Female	78	20.7	4.7	53	14.6	4.2	236	64.7	5.7
Age									
18-64	147	31.8	5.0	84	20.4	4.5	246	47.8	5.4
≥65	18	12.7	6.1	14	10.5	5.8	93	76.7	7.9
Education									
≤High School	52	23.3	6.5	33	17.1	6.2	149	59.6	7.8
>High School	114	32.1	5.6	65	19.7	4.9	191	48.2	5.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Meet Recommendations for Moderate or Vigorous Physical Activity

*Sullivan and Ulster*

Demographic Groups	n <sup>1</sup>	Meet Objective % <sup>2</sup>	C.I. <sup>3</sup>	n	Insufficient Activity %	C.I.	n	No Activity %	C.I.
Total	298	50.3	4.9	218	37.7	4.7	71	12.0	3.6
Gender									
Male	127	53.2	7.4	84	38.4	7.3	20	8.3	4.1
Female	171	47.5	6.2	134	36.9	5.9	51	15.5	5.7
Age									
18-64	251	52.7	5.5	168	37.1	5.3	46	10.3	4.0
≥65	46	39.4	9.6	50	40.9	9.9	24	19.7	7.7
Education									
≤High School	94	43.5	8.0	86	39.3	7.9	41	17.2	7.2
>High School	204	55.0	6.0	132	36.6	5.8	30	8.4	3.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Any Physical Activity or Exercise

*Sullivan and Ulster*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	572	90.9	71	9.1	2.4
Gender					
Male	235	92.8	20	7.2	3.4
Female	337	88.9	51	11.1	3.3
Age					
18-64	466	93.4	41	6.6	2.3
≥65	104	80.2	28	19.8	7.2
Education					
≤High School	202	85.9	48	14.1	4.3
>High School	370	94.4	23	5.6	2.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Number of Cigarettes Smoked per day among Everyday Smokers

*Sullivan and Ulster*

Demographic Groups	n <sup>1</sup>	1-10 cigarettes % <sup>2</sup>	n	≥11 cigarettes %	C.I. <sup>3</sup>
Total	32	36.9	73	63.1	11.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Work Indoors Most of the Time

*Sullivan and Ulster*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	296	74.4	85	25.6	5.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Smoking Policy at Place of Work among Indoor Workers***Sullivan and Ulster*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Not allowed anywhere %<sup>2</sup></b>	<b>C.I.<sup>3</sup></b>	<b>n</b>	<b>Allowed in some or all places %</b>	<b>C.I.</b>	<b>n</b>	<b>No official policy %</b>	<b>C.I.</b>
Total	247	82.1	5.2	28	10.8	4.3	19	7.2	3.4
Gender									
Male	87	77.8	8.4	13	11.8	6.8	14	10.4	5.7
Female	160	86.1	6.2	15	9.8	5.2	5	4.1	3.7
Age									
18-34	46	75.7	11.4	13	17.8	10.1	5	6.5	6.0
35-54	147	86.5	6.1	10	6.9	4.6	9	6.6	4.4
≥55	53	83.0	10.5	5	7.2	6.6	5	9.8	8.8
Education									
≤High School	68	76.8	10.3	12	13.0	8.0	9	10.2	7.1
>High School	179	84.9	5.9	16	9.6	5.0	10	5.5	3.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution<sup>2</sup>Weighted Percent<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Pap Smear

*Sullivan and Ulster*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	292	91.9	15	8.1	4.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Pap Smear in Past 3 Years

*Sullivan and Ulster*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	248	80.3	57	19.7	5.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval